

RECEIVED
CENTRAL FAX CENTER

JUN 15 2004

66457-134-7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Karl GFELLER

Serial No.: 09/663,338

Filed: September 15, 2000

MICROSCAN GUIDANCE

) PATENT

) GROUP: 2612

) EXAMINER: K. JERABEK

) CUSTOMER NO.: 25269

) CONFIRMATION NO.: 1874

OFFICIAL

#10
BA6/18/04

VIA FACSIMILE (703) 872-9306

FEE LETTERCommissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

June 14, 2004

Sir:

Referring to the claims contained in the Amendment of May 26,
2004 and the Supplemental Amendment of June 14, the additional
government fee (\$542.00) should be charged to Deposit Account No. 04-
2223.

04	2223
1202	180.00
1203	290.00

Respectfully submitted,

DYKEMA GOSSETT PLLC

By:

[Signature]
Richard H. Tushin
Registration No. 27,297
Franklin Square, Third Floor West
1300 I Street, N.W.
Washington, DC 20005-3353
(202) 906-8600

04/07/2005 LBADIE 00000012 042223 09663338
Sale Ref: 00000012 DAH: 042223 09663338
01 FC:1202 180.00 DA
02 FC:1203 290.00 DA

DC01\80808.1
IDVHT

- 1 -

2612



66457-134-7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

re Application of:

Karl GFELLER

Serial No.: 09/663,338

Filed: September 15, 2000

MICROSCAN GUIDANCE

) PATENT
)
) GROUP: 2612
)
) EXAMINER: K. JERABEK
)
) CUSTOMER NO.: 25269
)
) CONFIRMATION NO.: 1874

JA
BAC/2/04

AMENDMENT

RECEIVED

MAY 28 2004

Technology Center 2600

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

May 26, 2004

Sir:

In response to the Office Action dated February 26, 2004, please
amend this application as follows:

05/03/2004 DALEXAND 00000002 342223 09663338
01 FC:1202 72.00 DA
02 FC:1203 290.00 DA

like forth and back movement, which by no means may be considered as "guided". Thus Robinson does not teach the claimed method or apparatus where a linear movement is to be accurately guided and where a link between the device to be guided and the reference system is established via at least three articulate axes.

JP 10285475 discloses a stage 1 and solid state image-pickup element 5 mounted within frames 2a, 2b by springs 4b. There are no links via articulate axes.

No possible combination of Robinson and JP 10285475 would suggest the invention as now claimed.

Favorable reevaluation is requested.

Respectfully submitted,

DYKEMA GOSSETT PLLC

By: 

Richard H. Tushin
Registration No. 27,297
Franklin Square, Third Floor West
1300 I Street, N.W.
Washington, DC 20005-3353
(202) 906-8600